EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23677	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:39
\$2	28235	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:41
S3	1741	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$3)) or (XMD\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:42
S4	582	(St or S2) and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:43

S5	192	qualified near5 tag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:45
S6	487	qualif\$5 near5 tag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:45
S7	10046	start\$5 near5 tag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:46
S8	88	S7 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:46
S9	833	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) with (start\$5 near5 tag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:47
S10	6	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) with (start\$5 near5 tag\$3) with (travers\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/19 20:48

S11	1	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) with (start\$5 near5 tag\$3) with (travers\$5) with (hierarch \$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:50
S12	456	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:51
S13	57	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and (concatenation\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:52
S14	42	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and (concatenation\$5) and (tree\$3 near5 structure\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:56
S15	5	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$5)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and (concatenation\$5) and (tree\$3 near5 structure\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:57
S16	1	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$5)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and (concatenation\$5) and (tree\$3 near5 structure\$5) and (qualif\$5 near5 tag\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/19 21:02

S 17	1	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$5)) and (start\$5 near5 tag\$3) and (traver\$5) and (hierarch\$) and (concatenation\$5) and (tree\$3 near5 structure\$5) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:08
S18	55	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:09
S19	2035	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:10
S20	275	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:10
S21	218	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:12
S22	57	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$) and (travers\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:13

S23	5	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$) and (travers\$6) and ((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$3)) or (XMD\$3))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:14
S24	1	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$) and (travers\$6) and ((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$3)) or (XMD\$3)) and (tree\$5 with structure\$5)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:15
\$25	13	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (concatenation \$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:18
S26	13	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3)) and (start\$5 near5 tag\$5) and (concatenation\$5) and (start\$5 with tag\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:19
\$27	8	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (concatenation \$5) and (start\$5 with tag\$5) and (travers\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:20

S28	7	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and (((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3)) and (start\$5 near5 tag\$5) and (concatenation\$5) and (start\$5 with tag\$5) and (travers\$5) and (hierarch\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:20
S29	1	((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:22
S30	1055	((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) with (Descriptor\$5)) or (XMD\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:23
S31	2202	((((XML\$5) or (Extensible\$3 adj Markup\$3 adj Language \$3) or (metalanguage\$3) or (SGML\$3)) with (Descriptor \$5)) or (XMD\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:24
S32	2202	(((XML\$5) or (Extensible\$3 adj Markup\$3 adj Language \$3) or (metalanguage\$3) or (SGML\$3)) with (Descriptor \$5)) or (XMD\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:25

S33	1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:27
S34	3	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (concatenation \$5) and (start\$5 with tag\$5) and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:27
S35	5	((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:28
S36	2	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$) and (travers\$6) and S32 and (concatenat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:29
S 37	1	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 tag\$5) and (hierarch\$) and (travers\$6) and S32 and (concatenat\$5) and (tree\$5 with structure\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 21:31

S38	27780	(358/1.15,1.13,1.18,1.1,1.9,1.6,1.11,1.2).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 08:25
S39	6248	(715/234,237,239,713,760).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 08:25
S40	25381	(707/3,6,104.1).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 08:26
S41	1813	(358/407,468).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 08:27
S42	60010	S38 or S39 or S40 or S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:28
S43	23677	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/20 08:28

S44	4115	S42 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:28
S45	28235	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:29
S46	4920	S42 and S45	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:29
S47	1741	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$3)) or (XMD\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:29
S48	154	S42 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:29
S49	582	(S43 or S45) and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:30

S50	120	S42 and S49	US PGPUB; USPAT; USPOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:30
S51	192	qualified near5 tag\$3	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:30
S52	46	S42 and S51	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/01/20 08:30
S53	487	qualif\$5 near5 tag\$3	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/01/20 08:30
S54	81	S42 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:30
S55	10046	start\$5 near5 tag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:30

S56	1103	S42 and S55	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:30
S57	88	S55 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:31
S58	33	\$42 and \$57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:31
S59	833	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) with (start\$5 near5 tag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:31
S60	251	\$42 and \$59	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:31
S61	456	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/20 08:59

S62	128	S42 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:59
S63	57	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and (concatenation\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:59
S64	18	S42 and S63	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 08:59
S65	42	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and (concatenation\$5) and (tree\$3 near5 structure\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:00
S66	15	\$42 and \$65	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:00
S67	55	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) and (start\$5 near5 tag\$3) and (travers\$5) and (hierarch\$) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/20 09:00

S68	15	\$42 and \$67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:00
S69	2035	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:01
S70	404	S42 and S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:01
S71	275	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:07
S72	75	S42 and S71	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:07
S73	218	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:07

S74	59	S42 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:07
S75	57	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SSML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (hierarch\$) and (travers\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:08
S76	20	S42 and S75	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:08
\$77	13	(((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record \$format\$3)) and (start\$5 near5 tag\$5) and (concatenation \$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:09
S78	6	S42 and S77	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:09
S79	13		US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:09

S80	6	S42 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:09
S81	1055	((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) with (Descriptor\$5)) or (XMD\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:10
S82	91	S42 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:10
S83	91	S42 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:11
S84	2202	(((XML\$5) or (Extensible\$3 adj Markup\$3 adj Language \$3) or (metalanguage\$3) or (SGML\$3)) with (Descriptor \$5)) or (XMD\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:12
S85	217	S42 and S84	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 09:12

S86	205	((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag \$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3))).clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:22
S87	5	(Roger\$5 near9 Lee\$3 near9 Buis\$5).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:41
S88	3	(Steven\$5 near9 Gebert\$5).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:42
S89	7	(Roger\$5 near9 Buis\$5).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:42
S90	59	(Reinhard\$5 near9 Hohensee\$5).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:43
S91	60	\$87 or \$88 or \$89 or \$90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:43

S92	3	3 ((() (US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:44
S93	2	\$91 and (((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and (start\$5 with tag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:46
S94	1	\$91 and (((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and (start\$5 with tag\$5) and ((qualif\$5 near5 tag \$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:47
S95	1	}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 11:53

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S96	3594	((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3)).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:12
S97	4029	((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:13

S98	159	(((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (Descriptor\$3)) or (XMD\$3)).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:13
S99	34	(S96 or S97) and S98	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:14
S100	49	((qualif\$5 near5 tag\$3).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:14
S101	595	((start\$5 near5 tag\$3).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:15
S102	3	S100 and S101	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:15
S103	0	\$100 and \$101 and \$99	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:16
S104	1	\$100 and \$101 and \$98	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:17
S105	7	(((qualif\$5 with tag\$3) and (start\$5 with tag\$5)).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:18
S106	0	((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3).clm.) and S105	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:19
S107	3	(((qualif\$5 with tag\$3) and (start\$5 with tag\$5) and ((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3) or metalanguage\$3 or SGML\$3)).dm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:20
S108	212	((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3) or metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3) or (record\$format\$3)).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:22

S109	6	31111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:23
S110	2	metalanguage\$3 or SGML\$3) and ((qualif\$5 near5 tag\$5) or	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:23
S111	22	(hierarch\$ and travers\$ and concatenat\$).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:26
S112	0	(hierarch\$ and travers\$ and concatenat\$ and (start\$ with tag \$5)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:27
S113	2	(travers\$ and concatenat\$ and (start\$ with tag\$5)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:28
S114	1	(travers\$ and concatenat\$ and (start\$ with tag\$5) and (qualif \$ with tag\$5)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:29
S115	2	((travers\$ and concatenat\$ and (start\$ with tag\$5) and ((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3) or metalanguage\$3 or SGML\$3)).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:31
S116	1	((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3) or	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:32
S117	23137	(358/1.15,1.13,1.18,1.1,1.9,1.6,1.11,1.2).OCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/01/20 11:34

S118	6646	(715/234,237,239,713,760).CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/01/20 11:34
S119	27945	(707/3,6,104.1).CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/01/20 11:34
S120	1502	(358/407,468).CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/01/20 11:35
S121	57962	S117 or S118 or S119 or S120	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:36
S122	1135	S121 and S96	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:37
S123	1265	S121 and S97	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:37
S124	22	S121 and S98	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:37
S125	9	S121 and S99	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:37
S126	6	S121 and S100	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:37
S127	93	S121 and S101	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:38
S128	60	S121 and S108	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:38

S129	3	S121 and S111	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:38
S130	3	(Roger\$5 near9 Lee\$3 near9 Buis\$5).in.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:48
S131	3	(Steven\$5 near9 Gebert\$5).in.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:48
S132	5	(Roger\$5 near9 Buis\$5).in.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:49
S133	51	(Reinhard\$5 near9 Hohensee\$5).in.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:49
S134	52	S130 or S131 or S132 or S133	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:50
S135	3	S134 and (((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:50
S136	2	S134 and (((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and (start\$5 with tag\$5)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:51
S137	1	S134 and (((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3) and (start\$5 with tag\$5) and ((qualif\$5 near5 tag \$5) or (RCD\$3) or (Record\$3 near5 Descriptor\$5) or (record\$3 near5 format\$3))	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:52
S138	1	S134 and (((((XML) or (Extensible\$3 adj Markup\$3 adj Language\$3)) near5 (document\$3) or metalanguage\$3 or SGML\$3)).clm.)	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 11:53

1/20/2010 4:02:13 PM

H:\ Workspaces\ 09963807.01192010.1.wsp